



Grinding Cups

*Elevate Your Grind:
Premium Grinding Cups
for Pros*





Grinding Cups

Elevate Your Grind: Premium Grinding Cups for Pros





TORGWIN

A vertically integrated manufacturing and trading solutions provider specializing in tools and consumables.



TORGWIN is a vertically integrated manufacturing and trading company with over 20 years of expertise in producing tools and consumables. Over the past two decades, we have established a strong international presence across multiple markets, achieving deep localization in our operations. Supported by dedicated sales and service teams across our locations, we maintain a professional workforce of over 30 specialists. With end-to-end capabilities, flexible services, and a partnership-driven approach, TORGWIN has become a trusted manufacturing partner for clients across multiple regions - consistently driving global business growth through our core competitive advantages.

Cold-Pressed Diamond Grinding Wheels



*Diamond-infused for
superior grinding.*

*Sharp and long-lasting
performance.*

*High-Speed Material
Removal.*



SINGLE ROW SEGMENTED



DOUBLE ROW SEGMENTED



WIDE SEGMENTED TURBO



L-SHAPE TEETH



ALTERNATING WIDTH TEETH



DOUBLE ROW TURBO



WIDE TEETH



ANGLE TEETH



T-SHAPE TEETH



TURBO

**COLD
PRESSED**



- Concrete, granite, and other stones.
- Dry / Wet Grinding.
- Single row segmented for precise grinding.

Diameter		Bore		Segment Width (mm)	Segment Height (mm)
inch	mm	inch	mm		
3 1/4"	80	7/8"	22.23	6	5
4"	100	7/8"	22.23	8	5
4.5"	115	7/8"	22.23	8	5
5"	125	7/8"	22.23	9	5
7"	180	7/8"	22.23	14	5
9"	230	7/8"	22.23	18	5

LM01-J-12505-TW


SINGLE ROW SEGMENTED



**COLD
PRESSED**

- Concrete, granite, and other stones.
- Dry / Wet Grinding.
- Double row segmented for efficient grinding.

Diameter		Bore		Segment Width (mm)	Segment Height (mm)
inch	mm	inch	mm		
4"	100	7/8"	22.23	8	5
4.5"	115	7/8"	22.23	8	5
5"	125	7/8"	22.23	8	5
6"	150	7/8"	22.23	8	5
7"	180	7/8"	22.23	8	5
9"	230	7/8"	22.23	8	5



LM02-J-12505-TW



DOUBLE ROW SEGMENTED

COLD
PRESSED



- Concrete, granite, and other stones.
- Dry / Wet Grinding.
- Wide segmented turbo design for enhanced efficiency.

Diameter		Bore		Segment Width (mm)	Segment Height (mm)
inch	mm	inch	mm		
3 1/4"	80	7/8"	22.23	12	5
3 1/2"	90	7/8"	22.23	12	5
4"	100	7/8"	22.23	12	5
5"	125	7/8"	22.23	14	5

LM03-J-12505-TW

WIDE SEGMENTED TURBO



**COLD
PRESSED**

- Concrete, granite, and other stones.
- Dry / Wet Grinding.
- L-shape teeth for precision and control.

Diameter		Bore		Segment Width (mm)	Segment Height (mm)
inch	mm	inch	mm		
4.5"	115	7/8"	22.23	8	5
5"	125	7/8"	22.23	8	5
7"	180	7/8"	22.23	8	5



LM04-J-12505-TW
L-SHAPE TEETH

**COLD
PRESSED**



- Concrete, granite, and other stones.
- Dry / Wet Grinding.
- Alternating width teeth for efficient grinding.

Diameter		Bore		Segment Width (mm)	Segment Height (mm)
inch	mm	inch	mm		
5"	125	7/8"	22.23	9.2*8 18*8.3	5
7"	180	7/8"	22.23	18*7.5 35*7	5

LM05-J-12505-TW

ALTERNATING WIDTH TEETH



**COLD
PRESSED**

- Concrete, granite, and other stones.
- Dry / Wet Grinding.
- Angle teeth design for precision and control.

Diameter		Bore		Segment Width (mm)	Segment Height (mm)
inch	mm	inch	mm		
4"	100	7/8"	22.23	8	5



LM06-J-10005-TW
ANGLE TEETH

**COLD
PRESSED**



LM07-J-12505-TW
T-SHAPE TEETH



- Concrete, granite, and other stones.
- Dry / Wet Grinding.
- T-shape teeth design for improved grinding efficiency.

Diameter		Bore		Segment Width (mm)	Segment Height (mm)
inch	mm	inch	mm		
5"	125	7/8"	22.23	29*8	5
7"	180	7/8"	22.23	31*7.9	5

**COLD
PRESSED**

- Concrete, granite, and other stones.
- Dry / Wet Grinding.
- Turbo design for fast and efficient grinding.

Diameter		Bore		Segment Width (mm)	Segment Height (mm)
inch	mm	inch	mm		
4.5"	115	7/8"	22.23	20	5
5"	125	7/8"	22.23	20	5
6"	150	7/8"	22.23	20	5
7"	180	7/8"	22.23	20	5
9"	230	7/8"	22.23	20	5



**LM08-J-12505-TW
TURBO**

**COLD
PRESSED**



- Concrete, granite, and other stones.
- Dry / Wet Grinding.
- Double row turbo design for enhanced grinding efficiency.

LM09-J-12505-TW
DOUBLE ROW TURBO



Diameter		Bore		Segment Width (mm)	Segment Height (mm)
inch	mm	inch	mm		
5"	125	7/8"	22.23	20	5

**COLD
PRESSED**

- Concrete, granite, and other stones.
- Dry / Wet Grinding.
- Wide teeth design for greater coverage and efficiency.

Diameter		Bore		Segment Width (mm)	Segment Height (mm)
inch	mm	inch	mm		
5"	125	7/8"	22.23	18.02	5



LM10-J-12505-TW
WIDE TEETH

High-Grade Diamond Grinding Wheels



*High-frequency welded
for superior durability
and exceptional cutting
power.*

*Low wear ensures
long-lasting use.*

*Provides a higher
material removal rate
with sharper, more
efficient performance.*



SINGLE ROW SEGMENTED




DOUBLE ROW SEGMENTED




WIDE SEGMENTED TURBO



L-SHAPE TEETH



ALTERNATING WIDTH TEETH



ANGLE TEETH



T-SHAPE TEETH



TURBO



DOUBLE ROW TURBO



WIDE TEETH



ARROW-SHAPE TEETH




GROOVING WHEELS

**HIGH
GRADE**


- Hard old concrete (reinforced), granite, and other stones.
- Dry / Wet Grinding.
- Single row segmented design for precise grinding.

Diameter		Bore		Segment Width (mm)	Segment Height (mm)
inch	mm	inch	mm		
3 1/4"	80	7/8"	22.23	6	5
4"	100	7/8"	22.23	8	5
4.5"	115	7/8"	22.23	8	5
5"	125	7/8"	22.23	9	5
7"	180	7/8"	22.23	14	5
9"	230	7/8"	22.23	18	5



GM01-J-12505-TW
SINGLE ROW SEGMENTED

**HIGH
GRADE**



- Hard old concrete (reinforced), granite, and other stones.
- Dry / Wet Grinding.
- Double row segmented design enhances grinding efficiency.

Diameter		Bore		Segment Width (mm)	Segment Height (mm)
inch	mm	inch	mm		
4"	100	7/8"	22.23	8	5
4.5"	115	7/8"	22.23	8	5
5"	125	7/8"	22.23	8	5
6"	150	7/8"	22.23	8	5
7"	180	7/8"	22.23	8	5
9"	230	7/8"	22.23	8	5

GM02-J-12505-TW


DOUBLE ROW SEGMENTED



**HIGH
GRADE**


- Hard old concrete (reinforced), granite, and other stones.
- Dry / Wet Grinding.
- Wide segmented turbo design enhances grinding efficiency.

Diameter		Bore		Segment Width (mm)	Segment Height (mm)
inch	mm	inch	mm		
3 1/4"	80	7/8"	22.23	12	5
3 1/2"	90	7/8"	22.23	12	5
4"	100	7/8"	22.23	12	5
5"	125	7/8"	22.23	12	5



GM03-J-12505-TW
WIDE SEGMENTED TURBO

**HIGH
GRADE**



GM04-J-12505-TW
L-SHAPE TEETH




- Hard old concrete (reinforced), granite, and other stones.
- Dry / Wet Grinding.
- L-shape teeth design enhances grinding precision and control.

Diameter		Bore		Segment Width (mm)	Segment Height (mm)
inch	mm	inch	mm		
4.5"	115	7/8"	22.23	8	5
5"	125	7/8"	22.23	8	5
7"	180	7/8"	22.23	8	5

**HIGH
GRADE**

- Hard old concrete (reinforced), granite, and other stones.
- Dry / Wet Grinding.
- Alternating width teeth design for greater coverage and efficiency.

Diameter		Bore		Segment Width (mm)	Segment Height (mm)
inch	mm	inch	mm		
7"	180	7/8"	22.23	18*7.5 35*7	5




GM05-J-18005-TW



ALTERNATING WIDTH TEETH

**HIGH
GRADE**



GM06-J-18005-TW
ANGLE TEETH




- Hard old concrete (reinforced), granite, and other stones.
- Dry / Wet Grinding.
- Angle teeth design for precision and control.

Diameter		Bore		Segment Width (mm)	Segment Height (mm)
inch	mm	inch	mm		
7"	180	7/8"	22.23	8	5

**HIGH
GRADE**


- Hard old concrete (reinforced), granite, and other stones.
- Dry / Wet Grinding.
- T-shape teeth design for enhanced grinding precision and control.

Diameter		Bore		Segment Width (mm)	Segment Height (mm)
inch	mm	inch	mm		
5"	125	7/8"	22.23	29*8	5
7"	180	7/8"	22.23	31*7.9	5



GM07-J-12505-TW
T-SHAPE TEETH

HIGH GRADE



GM08-J-12505-TW
TURBO




- Hard old concrete (reinforced), granite, and other stones.
- Dry / Wet Grinding.
- Turbo design for fast and efficient grinding.

Diameter		Bore		Segment Width (mm)	Segment Height (mm)
inch	mm	inch	mm		
4.5"	115	7/8"	22.23	20	5
5"	125	7/8"	22.23	20	5
6"	150	7/8"	22.23	20	5
7"	180	7/8"	22.23	20	5
9"	230	7/8"	22.23	20	5

**HIGH
GRADE**


- Hard old concrete (reinforced), granite, and other stones.
- Dry / Wet Grinding.
- Double row turbo design for enhanced grinding efficiency.

Diameter		Bore		Segment Width (mm)	Segment Height (mm)
inch	mm	inch	mm		
5"	125	7/8"	22.23	20	5



GM09-J-12505-TW
DOUBLE ROW TURBO

HIGH GRADE



GM10-J-12505-TW WIDE TEETH




- Hard old concrete (reinforced), granite, and other stones.
- Dry / Wet Grinding.
- Wide teeth design for greater coverage and efficiency.

Diameter		Bore		Segment Width (mm)	Segment Height (mm)
inch	mm	inch	mm		
5"	125	7/8"	22.23	18.02	5

**HIGH
GRADE**

- Hard old concrete (reinforced), granite, and other stones.
- Dry / Wet Grinding.
- Arrow-shape teeth design for precise and aggressive grinding.




Diameter		Bore		Segment Width (mm)	Segment Height (mm)
inch	mm	inch	mm		
5"	125	7/8"	22.23	-	10



GM11-J-12510-TW
ARROW-SHAPE TEETH

HIGH GRADE



- Hard old concrete (reinforced), granite, and other stones.
- Dry / Wet Grinding.
- Designed for deep and straight grooves in concrete, brick, granite and hard masonry.

Diameter		Bore		Segment Width (mm)	Segment Height (mm)
inch	mm	inch	mm		
4 3/4"	120	7/8"	22.23	20	17

GM12-J-12017-TW

GROOVING WHEELS



www.torgwintools.com



NINGBO T-WIN IMP. & EXP. CO., LTD.

Add: Room 4-11, New Materials Innovation Center, Ningbo High-tech Zone, Ningbo City, Zhejiang Province, CN.

Tel: 0574-88068762

Email: cassie@nbtg-tools.com